

測試報告(SVHC) 號碼(No.): CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 1 of 19 **Test Report**

嵘樺企業有限公司 RONG HUA INDUSTRIAL CO., LTD 桃園縣新屋鄉下田村下田心子1鄰23-7號 23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

以下測試樣品係由客户送樣, 且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) 收件日期(Sample Receiving Date) 測試期間(Testing Period) 	: GRIP RING / EXPANDER RING (擴張環) : 2012/06/28 : 2012/06/28 TO 2012/07/05
 測試需求(Test Requested)	: 84項高關注物質篩檢. 高關注物質候選清單是根據歐洲化學總署(ECHA)於2012年06月18日 ,就關於REACH之Regulation (EC) No 1907/2006的公告。/ Eighty-four(84) Substances of Very High Concern (SVHC) screening. SVHC candidate list based on the publication by European Chemicals Agency (ECHA) on 2012 June 18, regarding Regulation (EC) No 1907/2006 concerning the REACH.
測試方法(Test Method)	: 請見下一頁 (Please refer to next pages).
測試結果(Test Results)	: 請見下一頁 (Please refer to next pages).
總結(Summary)	· 根據歐洲化學總署及絕大部分歐盟會員國對於成品定義詮釋以及依據指定規範和分析技術, 法測場日始直明法始頗(GWIG)遭要的上於0.1%(A
	送測樣品的高關注物質(SVHC)濃度均小於0.1% (According to the interpretation of ECUA and the main it of EU member at the definition of an anticle of
	ECHA and the majority of EU member states on the definition of an article as
	well as the specified scope and analytical technique, concentrations of all
	SVHC are ${<}0.1\%$ in the submitted sample(s)) \circ





測試報告(SVHC) ^{號碼(No.): CC/2012/60183} 日期(Date): 2012/07/05 頁數(Page): 2 of 19 **Test Report**

嵘樺企業有限公司 RONG HUA INDUSTRIAL CO., LTD 桃園縣新屋鄉下田村下田心子1鄰23-7號 23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

<u>測試樣品(Test Sample):</u> 黑色/白色塑膠 (BLACK/WHITE PLASTIC)

测試方法(Test Method):

參照SGS內部方法RSTS-EE-SVHC-007. 由感應耦合電漿原子發射光譜儀,紫外光可見光譜儀,氣相層析/質譜儀,液相層析/質 譜儀和氣相層析儀/火焰光度偵測器進行分析。(SGS In-House method-RSTS-EE-SVHC-007. Analyzed by ICP-AES, UV-VIS, GC/MS, LC/MS and GC/FPD.)

備註(Remark):

- 1. 84項SVHC化學分析,依歐洲化學總署(ECHA)於2012年06月18日所公佈的清單,藉由現有的分析技術進行篩檢。(The chemical analysis of 84 SVHC is performed by means of currently available analytical techniques against the list published by ECHA on 2012 June 18.)
 - 請參照(refer to) http://echa.europa.eu/web/guest/candidate-list-table
- 2. 根據Regulation (EC) No 1907/2006 中第7條款第2項之規定,如果物質合乎第57條款之標準以及可依據第59(1)條之規定 鑑別,且同時符合下列兩項狀況,任何成品之製造人和進口人應向歐洲化學總署(ECHA)通報:
 - (a) 成品中所含物質每年超過1公頓。
 - (b) 依重量百分比計算,物質濃度超過0.1%。

In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 2 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation,

if (a) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w).

- 3. Regulation (EC) No 1907/2006中第 33 條要求成品供應商,其成品所含物質符合第57條款的標準並依照第59(1)條款確定其濃度大於0.1wt%,應提供成品接受者充份可取得資訊,以確保成品的安全使用(至少包括物質的名稱)。 Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance.
- 4. 倘若SVHC超過限值,建議客户確認含有該SVHC的零件,並要求實驗室進一步的定量分析而取得SVHC的確切濃度。 If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.



測試報告(SVHC) 號碼(No.): CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 3 of 19 **Test Report**

榮樺企業有限公司 RONG HUA INDUSTRIAL CO., LTD 桃園縣新屋鄉下田村下田心子1鄰23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

測試結果 (Test Results)

<u>測試結米 (Test Results)</u> 物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類(Classification) 【附錄(Appendix)A】
蒽 / Anthracene (CAS No.: 120–12–7)	n.d.	0.05	PBT
4,4' - 二氨基二苯甲烷 / 4,4' - Diaminodiphenylmethane (CAS No.: 101-77-9)	n.d.	0.05	CC2
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74- 2)	n.d.	0.05	TRC2
鄰苯二甲酸甲苯基丁酯 / BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	n.d.	0.05	TRC2
鄰苯二甲酸二 (2-乙基己基)酯 / Bis (2-ethyl(hexyl) phthalate) (DEHP) (CAS No.: 117-81-7)	n.d.	0.05	TRC2
二甲苯麝香 / 5-tert-butyl-2,4,6-trinitro- m-xylene (Musk Xylene) (CAS No.: 81-15-2)	n.d.	0.05	vPvB
六溴環十二烷及所有主要被辨别出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	n.d.	0.05	PBT
短鏈氯化石蠟 / Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	n.d.	0.05	PBT
三丁基錫氧化物 / Bis(tributyltin)oxide*** (CAS No.: 56-35- 9)	n.d.	-	PBT
二氯化鈷 / Cobalt dichloride (CAS No.: 7646-79-9)	n.d.	0.005	CC2; TRC2
五氧化二砷 / Diarsenic pentaoxide*** (CAS No.: 1303-28-2)	n.d.	-	CC1
三氧化二砷 / Diarsenic trioxide*** (CAS No.: 1327-53-3)	n.d.	-	CC1
三乙基砷酸酯 / Triethyl arsenate*** (CAS No.: 15606-95-8)	n.d.	-	CC1
砷酸氫鉛 / Lead hydrogen arsenate*** (CAS No.: 7784-40-9) (※1)	n.d.	-	CC1; TRC1
络酸鈉 / Sodium chromate*** (CAS No.: 7775-11-3)	n.d.	-	CC2; MC2; TRC2
重鉻酸銨 / Ammonium dichromate*** (CAS No.: 7789-09-5)	n.d.	-	CC2; MC2; TRC2
重鉻酸鉀 / Potassium dichromate*** (CAS No.: 7778-50-9)	n.d.	-	CC2; MC2; TRC2
络酸鉀 / Potassium chromate*** (CAS No.: 7789-00-6)	n.d.	-	CC2; MC2
重鉻酸鈉 / Sodium dichromate*** (CAS No.: 10588-01-9, 7789- 12-0(*))	n.d.	-	CC2; MC2; TRC2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-en-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

測試報告(SVHC) 號碼(No.): CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 4 of 19 **Test Report**

榮樺企業有限公司

RONG HUA INDUSTRIAL CO., LTD

桃園縣新屋鄉下田村下田心子1鄰23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification) 【附錄 (Appendix) A】
三氧化鉻 / Chromium trioxide ***	n.d.	-	CC2; MC2
(CAS No.: 1333-82-0)			
從三氧化鉻與其它寡聚體生成的酸類: 鉻酸 / Acids generated	n.d.	-	CC2
from chromium trioxide and their oligomers: Chromic acid*** (CAS No.: 7738-94-5)			
從三氧化鉻與其它寡聚體生成的酸類: 重鉻酸 / Acids generated	n.d.	-	CC2
from chromium trioxide and their oligomers: Dichromic			
acid*** (CAS No.: 13530-68-2)			
從三氧化鉻與其它寡聚體生成的酸類: 络酸與重络酸的寡聚體 /	n.d.	-	CC2
Acids generated from chromium trioxide and their oligomers:			
Oligomers of chromic acid and dichromic acid (*1)			
络酸鍶 / Strontium chromate*** (CAS No.: 7789-06-2)	n.d.	-	CC2
茵油 / Anthracene oil (CAS No.: 90640-80-5) (**)	n.d.	0.05	PBT; vPvB; CC2
蒽油, 蒽糊, 輕油 / Anthracene oil, anthracene paste, distn.	n.d.	0.05	PBT; vPvB; CC2; MC2
Lights (CAS No.: 91995-17-4) (**)			
蒽油, 蒽糊, 蒽餾分 / Anthracene oil, anthracene paste,	n.d.	0.05	PBT; vPvB; CC2; MC2
anthracene fraction (CAS No.: 91995–15–2) (**)			
蔥油, 含蒽量少 / Anthracene oil, anthracene-low (CAS No.: 90640-82-7) (**)	n.d.	0.05	PBT; vPvB; CC2; MC2
茵油, 茵糊 / Anthracene oil, anthracene paste (CAS No.:	n.d.	0.05	PBT; vPvB; CC2; MC2
90640-81-6) (**)			
煤瀝青, 高溫 / Pitch, coal tar, high-temp. (CAS No.: 65996-	n.d.	0.05	PBT; vPvB; CC2
93-2) (**)			
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.:	n.d.	0.05	TRC2
84-69-5)			
2,4-二硝基甲苯 / 2,4-Dinitrotoluene (CAS No.: 121-14-2)	n.d.	0.05	CC2
磷酸三 (2-氯乙基)酯 / Tris(2-chloroethyl) phosphate (TCEP)	n.d.	0.05	TRC2
(CAS No.: 115-96-8)			
鉻酸鉛 / Lead chromate (CAS No.: 7758-97-6)	n.d.	0.01	CC2; TRC1
鉬鉻紅;顏色索引: 顏料紅104 / Lead chromate molybdate	n.d.	0.01	CC2; TRC1
sulphate red (C.I. Pigment Red 104) (CAS No.: 12656-85-8)			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-en-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

33, Wu Chuan Rd., New Taipei Industrial Park, New Taipei City, Taiwan / 新北市新北產業園區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.tw

SG

測試報告(SVHC) 號碼(No.): CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 5 of 19 **Test Report**

榮樺企業有限公司

RONG HUA INDUSTRIAL CO., LTD

桃園縣新屋鄉下田村下田心子1鄰23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification) 【附錄 (Appendix) A】
鉻酸鉛;顏色索引:顏料黄34 / Lead sulfochromate yellow	n.d.	0.01	CC2; TRC1
(C.I. Pigment Yellow 34) (CAS No.: 1344-37-2)			
丙烯醯胺 / Acrylamide (CAS No.: 79-06-1)	n.d.	0.05	CC2; MC2
硼酸 / Boric acid*** (CAS No.: 10043-35-3; 11113-50-1)	n.d.	-	TRC2
無水四硼酸二鈉 / Disodium tetraborate, anhydrous*** (CAS No.: 1303-96-4, 1330-43-4, 12179-04-3)	n.d.	-	TRC2
水合硼酸鈉 / Tetraboron disodium heptaoxide, hydrate (CAS No.: 12267-73-1) (*2)	n.d.	-	TRC2
三氯乙烯 / Trichloroethylene (CAS No.: 79-01-6)	n.d.	0.05	CC2
硫酸鈷(二價) / Cobalt(II) sulphate*** (CAS No.: 10124-43-3)	n.d.	-	CC2; TRC2
硝酸鈷(二價) / Cobalt(II) dinitrate*** (CAS No.: 10141-05- 6)	n.d.	-	CC2; TRC2
碳酸鈷(二價) / Cobalt(II) carbonate*** (CAS No.: 513-79-1)	n.d.	-	CC2; TRC2
醋酸鈷(二價) / Cobalt(II) diacetate*** (CAS No.: 71-48-7)	n.d.	-	CC2; TRC2
乙二醇甲醚 / 2-Methoxyethanol (CAS No.: 109-86-4)	n.d.	0.05	TRC2
乙二醇乙醚 / 2-Ethoxyethanol (CAS No.: 110-80-5)	n.d.	0.05	TRC2
乙二醇乙醚乙酸酯 / 2-ethoxyethyl acetate (CAS No.: 111-15- 9)	n.d.	0.05	TRC2
鄰苯二甲酸二 (C7-11支鏈與直鏈)烷基酯 / 1,2- Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (CAS No.: 68515-42-4)	n.d.	0.05	TRC2
聯氨 / Hydrazine (CAS No.: 7803-57-8; 302-01-2)	n.d.	0.05	CC2
N-甲基吡咯烷酮 / 1-methy1-2-pyrrolidone (CAS No.: 872-50-4)	n.d.	0.05	TRC2
1,2,3-三氯丙烷 / 1,2,3-trichloropropane (CAS No.: 96-18-4)	n.d.	0.05	CC2; TRC2
鄰苯二甲酸二 (C6-8支鏈與直鏈)烷基酯,富C7 / 1,2- Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	n.d.	0.05	TRC2
(DIHP) (CAS No.: 71888-89-6)			
砷酸 / Arsenic acid*** (CAS No.: 7778-39-4)	n.d.	-	CC1
砷酸鈣 / Calcium arsenate*** (CAS No.: 7778-44-1)	n.d.	-	CC1
砷酸鉛 / Trilead diarsenate*** (CAS No.: 3687-31-8) (※1)	n.d.	-	CC1; TRC1
疊氮化鉛 / Lead diazide, Lead azide*** (CAS No.: 13424-46- 9)	n.d.	-	TRC1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-en-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

33, Wu Chuan Rd., New Taipei Industrial Park, New Taipei City, Taiwan / 新北市新北產業園區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.tw

SG

測試報告(SVHC) 號碼(No.): CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 6 of 19 **Test Report**

榮樺企業有限公司 RONG HUA INDUSTRIAL CO., LTD

SG

桃園縣新屋鄉下田村下田心子1鄰23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification) 【附錄 (Appendix) A】
中性斯蒂酚酸鉛 / Lead styphnate***(CAS No.: 15245-44-0)	n.d.	-	TRC1
苦味酸鉛 / Lead dipicrate*** (CAS No.: 6477-64-1)	n.d.	-	TRC1
鉻酸鉻 / Dichromium tris (chromate)*** (CAS No.: 24613-89- 6)	n.d.	-	CC2
氫氧化鉻酸鋅鉀 / Potassium hydroxyoctaoxodizincatedi- chromate*** (CAS No.: 11103-86-9)	n.d.	-	CC1
八氫氧化五鉻酸鋅 / Pentazinc chromate octahydroxide*** (CAS No.: 49663-84-5)	n.d.	-	CC1
甲醛與苯胺的寡聚體 / Formaldehyde, oligomeric reaction products with aniline (technical MDA) (CAS No.: 25214-70-4)	n.d.	0.05	CC2
鄰苯二甲酸二甲氧基乙酯 / Bis(2-methoxyethyl) phthalate (CAS No.: 117-82-8)	n.d.	0.05	TRC2
鄰甲氧基苯胺 / 2-Methoxyaniline; o-Anisidine (CAS No.: 90- 04-0)	n.d.	0.05	CC2
對特辛基苯酚 / 辛基酚 / 4-(1,1,3,3-tetramethylbutyl) phenol, (4-tert-Octylphenol) (CAS No.: 140-66-9)	n.d.	0.05	相同危害等級 (Equivalent concern)
1,2-二氯乙烷 / 1,2-Dichloroethane (CAS No.: 107-06-2)	n.d.	0.05	CC2
双(2-甲氧基乙基)醚 / Bis(2-methoxyethyl) ether (CAS No.: 111-96-6)	n.d.	0.05	TRC2
N,N-二甲基乙醯胺 / N,N-dimethylacetamide (DMAC) (CAS No.: 127-19-5)	n.d.	0.05	TRC2
4,4'-亞甲雙(2-氯苯胺)/ 2,2'-dichloro- 4,4'- methylenedianiline (MOCA) (CAS No.: 101-14-4)	n.d.	0.05	CC2
酚酞 / Phenolphthalein (CAS No.: 77-09-8)	n.d.	0.05	CC2
矽酸鋁,耐火陶瓷纖維(主要成分濃度於可變範圍内)/ Aluminosilicate, Refractory Ceramic Fibres [oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges]	n.d.	0.05	CC2
结矽酸鋁,耐火陶瓷纖維(主要成分濃度於可變範圍內)/ Zirconia Aluminosilicate, Refractory Ceramic Fibres 【oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges】	n.d.	0.05	CC2

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-en-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

測試報告(SVHC) 號碼(No.): CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 7 of 19 **Test Report**

榮樺企業有限公司 RONG HUA INDUSTRIAL CO., LTD

SG

桃園縣新屋鄉下田村下田心子1鄰23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)	分類 (Classification) 【附錄 (Appendix) A】
三甘醇二甲醚 / 1,2-bis (2-methoxyethoxy) ethane (TEGDME; triglyme) (CAS No.: 112-49-2)	n.d.	0.05	TRC2
乙二醇二甲醚 / 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) (CAS No.: 110-71-4)	n.d.	0.05	TRC2
甲醯胺 / Formamide (CAS No.: 75-12-7)	n.d.	0.05	MC2
甲基磺酸鉛 / Lead(II) bis(methanesulfonate)*** (CAS No.: 17570-76-2)	n.d.	-	TRC2
異氰尿酸三縮水甘油酯 / TGIC (1,3,5-tris(oxiranylmethyl)- 1,3,5- triazine-2,4,6 (1H,3H,5H)-trione) (CAS No.: 2451-62-9)	n.d.	0.05	MC2
異氰尿酸 <i>B</i> -三縮水甘油酯 / <i>B</i> -TGIC (1,3,5-tris [(2S and 2R)- 2,3-epoxypropyl]- 1,3,5-triazine-2,4,6- (1H,3H,5H)-trione) (CAS No.: 59653-74-6) (※3)	n.d.	0.05	MC2
4,4'-二(N,N-二甲氨基)二苯甲酮 (米氏酮) / 4,4'-bis (dimethylamino) benzophenone (Michler's ketone) (CAS No.: 90-94-8)	n.d.	0.05	CC2
4,4'-(对二甲氨基)二苯基甲烷(米氏鹼)/ N,N,N',N'- tetramethyl- 4,4'-methylenedianiline (Michler's base) (CAS No.: 101-61-1)	n.d.	0.05	CC2
鹼性紫 3 / [4-[4,4'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3) (CAS No.: 548-62-9)	n.d.	0.05	CC2
鹼性藍 26 / [4-[[4-anilino-1-naphthyl] [4-(dimethylamino) phenyl] methylene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) (CAS No.: 2580-56-5)	n.d.	0.05	CC2
溶劑藍 4 / α,α-Bis[4-(dimethylamino) phenyl]-4 (phenylamino) naphthalene-1-methanol (C.I. Solvent Blue 4) (CAS No.: 6786-83-0)	n.d.	0.05	CC2
三氧化二硼 / Diboron trioxide*** (CAS No.: 1303-86-2)	n.d.	-	TRC2
α,α-二[(二甲氨基)苯基]-4-甲氨基苯甲醇 / 4,4'-bis (dimethylamino)-4''-(methylamino) trityl alcohol (CAS No.: 561-41-1)	n.d.	0.05	CC2



測試報告(SVHC) 號碼(No.): CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 8 of 19 Test Report

嶸樺企業有限公司 RONG HUA INDUSTRIAL CO., LTD 桃園縣新屋鄉下田村下田心子1鄰23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d.= not detected = below Reporting Limit / 未檢出
- 3. RL = Reporting Limit / 報告極限值
- 4. 列於附錄A中之分類定義是根據67/548/EE以及Regulation (EC) No 1907/2006 (Definition of classification is listed in Appendix A of this report in accordance with 67/548/EEC and Regulation (EC) No 1907/2006)。
- 5. "-" = Not Regulated (無規格值)
- 6. (*): 重铬酸鈉二水合物(CAS No.: 7789-12-0)含量 = 重铬酸鈉含量 × 1.1374

(conc. of Sodium dichromate dihydrate = conc. of sodium dichromate \times 1.1374)

- 7. (*1): 络酸與重络酸的寡聚體: 因為其寡聚體是由未知數的络酸或與重络酸所組成,而導致沒有固定分子量,因此以單體络酸或重络酸較為重要並應被考慮。/ Oligomers of chromic acid and dichromic acid : since the oligomers are made of the unknown amount of chromic acid or dichromic acid that results in no fixed molecular weight, therefore the monomer of chromic acid or dichromic acid is relevant and considered.
- 8. (*2): 水合硼酸鈉: 依照歐洲化學總署解釋以無水四硼酸二鈉數據作為代表(歐洲化學總署回信編號 Ref no.: INC 00000032519) / Tetraboron disodium heptaoxide, hydrate: Only anhydrous form of disodium tetraborate is relevant and considered according to ECHA explanation (Ref no.: INC 00000032519).
- 9. (**): 上述混合物的濃度是經由所獲得的成分比例介於被選擇標靶物及混合物所推估出來. / The concentrations of above-mentioned mixtures are evaluated per the gained composition rate between the selected marks and the mixtures.
- 10. ***: 該物質是由"三丁基錫"或各別元素 (例如: 砷、鉛、六價鉻、硼或鈷)之測試結果計算得知. / The substance was calculated by the test results of Tributyl Tin or element (Ex. Arsenic, Lead, Cr(VI), Boron, Cobalt respectively).

 $AX = A \times F$

AX	А	F
三丁基錫氧化物 / Bis(tributyltin)oxide	三丁基錫 / Tributyl Tin (TBT)	1.0276
硼酸 / Boric acid		5.7195
無水四硼酸二鈉 / Disodium tetraborate, anhydrous		4.6531
水合硼酸鈉(五水四硼酸二鈉) / Disodium tetraborate,		6.7361
pentahydrate	砌 / Boron	0.7501
水合硼酸鈉(十水四硼酸二鈉) / Disodium tetraborate,		8.8191
decahydrate		0.0191
三氧化二硼 / Diboron trioxide		3.2199

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.[k]#JAJAtily ($\frac{1}{2}$) ($\frac{1}{$

測試報告(SVHC) ^{號碼(No.)}: CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 9 of 19 **Test Report**

榮樺企業有限公司

SG

RONG HUA INDUSTRIAL CO., LTD 桃園縣新屋鄉下田村下田心子1鄰23-7號

桃園縣新屋鄉下田村下田心丁1鄉23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

 $AX = A \times F$

AX	A	F	
五氧化二砷 / Diarsenic pentaoxide		1.5339	
三氧化二砷 / Diarsenic trioxide	砷 / Arsenic	1.3203	
三乙基砷酸酯 / Triethyl arsenate	مر Arsenic	3.0179	
砷酸氫鉛 / Lead hydrogen arsenate		4.6332	
# HX 30 30 7 Lead nydrogen arsenate		1.6753	
苦味酸鉛 / Lead dipicrate		3.2017	
中性斯蒂酚酸鉛 / Lead styphnate	鉛 / Lead	2.1732	
疊氮化鉛 / Lead diazide, Lead azide		1.4056	
砷酸鉛 / Trilead diarsenate		1.447	
		6.0025	
砷酸 / Arsenic acid	砷 / Arsenic	1.8946	
砷酸鈣 / Calcium arsenate		2.6566	
甲基磺酸鉛 / Lead(II) bis(methanesulfonate)	鉛 / Lead	1.9179	
重鉻酸鈉 / Sodium dichromate		2.5192	
鉻酸鈉 / Sodium chromate		3.1151	
重鉻酸銨 / Ammonium dichromate		2.4239	
重鉻酸鉀 / Potassium dichromate		2.8289	
鉻酸鉀 / Potassium chromate		3.7347	
三氧化鉻 / Chromium trioxide	六價鉻 /	1.9231	
鉻酸 / Chromic acid	Hexavalent Chromium Cr(VI)	2.2696	
重鉻酸 / Dichromic acid	nexavarent chromium cr(vi)	2.0963	
鉻酸鍶 / Strontium chromate		3.9159	
八氫氧化五鉻酸鋅 / Pentazinc chromate octahydroxide		11.1345	
氫氧化鉻酸鋅鉀 / Potassium hydroxyoctaoxodizincatedi-		4.0277	
chromate		4.0277	
鉻酸鉻 / Dichromium tris (chromate)		2.8975	
硫酸鈷(二價) / Cobalt(II) sulphate		2.63	
硝酸鈷(二價) / Cobalt(II) dinitrate	酸鈷(二價) / Cobalt(II) dinitrate 鈷 / Cobalt		
碳酸鈷(二價) / Cobalt(II) carbonate	淨山 / CODAIL	2.0183	
醋酸鈷(二價) / Cobalt(II) diacetate		3.0038	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-en-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告(SVHC) ^{號碼(No.): CC/2012/60183} 日期(Date): 2012/07/05 頁數(Page): 10 of 19 **Test Report**

嶸樺企業有限公司 RONG HUA INDUSTRIAL CO., LTD 桃園縣新屋鄉下田村下田心子1鄰23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

物質名稱 (Substance Name)	成品濃度 (Concentration) (%)	報告 極限値 (RL)(%)
三丁基錫 / Tributyl Tin (TBT)	n.d.	0.05
砷 / Arsenic (As) (※2)	n.d.	0.005
鉛 / Lead (Pb)	n.d.	0.005
六價鉻 / Hexavalent Chromium Cr(VI)	n.d.	0.005
硼 / Boron (B) (※2)	n.d.	0.005
鈷 / Cobalt (Co)	n.d.	0.005

測試結果如下(The test result is given as):

11. (※1): 此砷鉛化合物之濃度是取砷及鉛兩者各別換算出砷鉛化合物濃度,並取其最小值做為最後出報告之依據. (Regarding the compound containing arsenic and lead, lead and arsenic are tested and respectively used for the calculation of the independent concentration of the compound containing arsenic and lead. The minimum value of the two independently calculated concentrations is used as the final concentration for the report.)

- 12. (※2): 被萃取出的溶出硼/砷是以感應耦合電漿原子發射光譜儀檢測得之. / The extracted soluble Boron / Arsenic are detected by ICP-AES.
- 13. (※3): 由於TGIC本身含有B-TGIC,依照ECHA 技術文件 B-TGIC與 TGIC 約為 1:10 比例,因此B-TGIC將以1/10 的 TGIC計算濃度。/ TGIC is a mixture and also contains B-TGIC. According to the ECHA's technical dossier the ratio of B-TGIC to TGIC is around 1 to 10. Therefore B-TGIC is issued based on the above-mentioned ratio.




測試報告(SVHC) Test Report ^{號碼(No.): CC/2012/60183}

日期(Date): 2012/07/05 頁數(Page): 11 of 19

嵘樺企業有限公司 RONG HUA INDUSTRIAL CO., LTD 桃園縣新屋鄉下田村下田心子1鄰23-7號 23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

SVHC 分析流程圖 / Analytical flow chart of SVHC

- 測試人員: 翁賜彬/周穗華/楊登偉 / Name of the person who made measurement: Roman Wong / Stacy Chou / Climbgreat Yang
- 測試負責人: 龔振裕 / Name of the person in charge of measurement: Chenyu Kung





測試報告(SVHC) ^{號碼(No.): CC/2012/60183} 日期(Date): 2012/07/05 頁數(Page): 12 of 19 **Test Report**

嵘樺企業有限公司 RONG HUA INDUSTRIAL CO., LTD 桃園縣新屋鄉下田村下田心子1鄰23-7號 23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位.*

(The tested sample / part is marked by an arrow if it's shown on the photo.)

CC/2012/60183



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-en-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告(SVHC) 號碼(No.): CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 13 of 19 Test Report

榮樺企業有限公司 RONG HUA INDUSTRIAL CO., LTD 桃園縣新屋鄉下田村下田心子1鄰23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

【**附錄(**Appendix)A】

分類 (Classification)	67/548/EEC以及Regulation (EC) No 1907/2006下的定義	
	(Definition under 67/548/EEC and Regulation (EC) No 1907/2006)	
CC1: 致癌物質 類别1	已知會對人類致癌的物質。有足夠的證據證明人體暴露於該物質和癌症發展之間有相互的關聯	
(Carcinogen Category 1)	性(Substances known to be carcinogenic to man. There is sufficient evidence to	
	establish a causal association between human exposure to a substance and the	
	development of cancer) °	
CC2: 致癌物質 類别 2	應被視為可能對人體會導致致癌的物質。有足夠的證據強力推論人體暴露於該物質可能導致癌	
(Carcinogen Category 2)	症發展,上述基於下列研究所得之結果 (Substances which should be regarded as if they	
	are carcinogenic to man. There is sufficient evidence to provide a strong	
	presumption that human exposure to a substance may result in the development of	
	cancer. Generally on the basis of):	
	- 適當的長期動物實驗 (appropriate long-term animal studies)。	
	- 其他相關資訊 (other relevant information)。	
MC1: 導致基因突變 類别1	已知會對人類導致基因突變的物質。有足夠的證據證明人體暴露於該物質和遺傳基因損害之間	
(Mutagen Category 1)	有相互的關聯性 (Substances known to be mutagenic to man. There is sufficient	
	evidence to establish a causal association between human exposure to a substance	
	and heritable genetic damage) °	
MC2: 導致基因突變 類别2	應被視為是否對人體會導致基因突變的物質。有足夠的證據強力推論人體暴露於該物質可能導	
(Mutagen Category 2)	致遺傳基因損害,上述基於下列研究所得之結果 (Substances which should be regarded as	
	if they are mutagenic to man. There is sufficient evidence to provide a strong	
	presumption that human exposure to the substance may result in the development of	
	heritable genetic damage, generally on the basis of):	
	- 適當的長期動物實驗 (appropriate animal studies)。	
	- 其他相關資訊 (other relevant information)。	
TRC1: 對生殖系統有害 類别1	已知會損害人體生殖能力的物質。有足夠的證據證明人體暴露於該物質和生殖能力削弱之間有	
(Toxic to Reproduction	相互的關聯性 (Substances known to impair fertility in humans. There is sufficient	
Category 1)	evidence to establish a causal relationship between human exposure to the substance	
	and impaired fertility) •	
	已知會在人體引起毒性的物質。有足夠的證據證明人體暴露於該物質和其後產生之毒性對後代	
	造成影響有相互之關聯性 (Substances known to cause developmental toxicity in humans.	
	There is sufficient evidence to establish a causal relationship between human	
	exposure to the substance and subsequent developmental toxic effects in the	
	progeny) •	



測試報告(SVHC) 號碼(No.): CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 14 of 19 Test Report

· 燥樺企業有限公司RONG HUA INDUSTRIAL CO., LTD

桃園縣新屋鄉下田村下田心子1鄰23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

	67/548/EEC以及Regulation (EC) No 1907/2006下的定義
分類 (Classification)	(Definition under 67/548/EEC and Regulation (EC) No 1907/2006)
TRC2: 對生殖系統有害 類别2	應被視為可能會損害人體生殖能力的物質。有足夠的證據證明人體暴露於該物質可能導致損害
(Toxic to Reproduction	人體生殖能力的有力推論,上述基於下列研究所得之結果 (Substances which should be
Category 2)	regarded as if they impair fertility in humans. There is sufficient evidence to
	provide a strong presumption that human exposure to the substance may result in
	impaired fertility on the basis of):
	- 缺少毒性作用的生殖能力削弱動物實驗中的明顯證據,或在同使用量下其他毒性作用但不 是其他毒性作用的輔助非特定結果的生殖能力削弱證據 (clear evidence in animal
	studies of impaired fertility in the absence of toxic effects, or, evidence of
	impaired fertility occurring at around the same dose levels as other toxic
	effects but which is not a secondary nonspecific consequence of the other toxic effects)
	- 其他相關資訊 (other relevant information)
	應被視為可能在人體引起毒性發展的物質有足夠的證據提供人體暴露於該物質可能引起毒性發展的有力推論,整體而言是基於 (Substances which should be regarded as if they cause
	developmental toxicity to humans. There is sufficient evidence to provide a strong
	presumption that human exposure to the substance may result in developmental
	toxicity, generally on the basis of):
	 在適當動物實驗研究所進行缺乏顯著母體毒性徵象或在同使用量下其他毒性作用但不是其 他毒性作用的輔助非特定結果的生殖能力削弱證據觀察,所得到之明顯結果 (clear
	results in appropriate animal studies where effects have been observed in the
	absence of signs of marked maternal toxicity, or at around the same dose levels
	as other toxic effects but which are not a secondary non-specific consequence
	of the other toxic effects) \circ
	- 其他相關資訊 (other relevant information)
PBT 長期生物蓄積性及毒性物	
	别挑戰。這些物質在環境中無法用一個"安全"濃度建立足夠的可靠度。/ Substances which
蓄積性物質	are persistent, bioaccumulative and toxic (PBT) or very persistent and very
	bioaccumulative (vPvB) pose a particular challenge to the chemicals safety
	management. For these substances a "safe" concentration in the environment cannot
	be established with sufficient reliability.



測試報告(SVHC) 號碼(No.): CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 15 of 19 **Test Report**

榮樺企業有限公司 RONG HUA INDUSTRIAL CO., LTD 桃園縣新屋鄉下田村下田心子1鄰23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

【附錄 (Appendix) B】

SVHC 調查表(SURV	'EY FORM)		
公司名稱(Company Name): 嶸樺企業有限公司 (RONG HUA INDUS	TRIAL CO., LTD)		
樣品名稱(Product Name): GRIP RING / EXPANDER RING (擴張玛			
產品/取樣重量(Product/Sampling weight): 38.5 g			
報告號碼(Report No.): CC/2012/60183			
物質鑑定(Substance id	entification)		
物質名稱 (Substance name)	成品濃度 (Concentration) (%)	重量 (weight) (mg)	安全資訊的提供, 根據 Article 33 (providing information about safe use according to Article 33 is necessary)
蒽/ Anthracene	n.d.	N/A	No
4,4' - 二氨基二苯甲烷 / 4,4' - Diaminodiphenylmethane	n.d.	N/A	No
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate)	n.d.	N/A	No
鄰苯二甲酸甲苯基丁酯 / BBP (Benzyl butyl phthalate)	n.d.	N/A	No
鄰苯二甲酸二 (2-乙基己基)酯 / Bis (2-ethyl(hexyl) phthalate) (DEHP)	n.d.	N/A	No
二甲苯麝香 / 5-tert-butyl-2,4,6-trinitro- m-xylene (Musk Xylene)	n.d.	N/A	No
六溴環十二烷及所有主要被辨别出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD)	n.d.	N/A	No
短鏈氯化石蠟 / Alkanes, C10–13, chloro (Short Chain Chlorinated Paraffins)	n.d.	N/A	No
三丁基錫氧化物 / Bis(tributyltin)oxide	n.d.	N/A	No
二氯化鈷 / Cobalt dichloride	n.d.	N/A	No
五氧化二砷 / Diarsenic pentaoxide	n.d.	N/A	No
三氧化二砷 / Diarsenic trioxide	n.d.	N/A	No
三乙基砷酸酯 / Triethyl arsenate	n.d.	N/A	No
砷酸氫鉛 / Lead hydrogen arsenate	n.d.	N/A	No
络酸鈉 / Sodium chromate	n.d.	N/A	No
重鉻酸銨 / Ammonium dichromate	n.d.	N/A	No
重鉻酸鉀 / Potassium dichromate	n.d.	N/A	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-en-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

測試報告(SVHC) 號碼(No.): CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 16 of 19 Test Report

榮樺企業有限公司

SG

RONG HUA INDUSTRIAL CO., LTD 桃園縣新屋鄉下田村下田心子1鄰23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

物質名稱 (Substance name)	成品濃度 (Concentration) (%)	重量 (weight) (mg)	安全資訊的提供, 根據 Article 33 (providing information about safe use according to Article 33 is necessary)
鉻酸鉀 / Potassium chromate	n.d.	N/A	No
重鉻酸鈉 / Sodium dichromate	n.d.	N/A	No
三氧化鉻 / Chromium trioxide	n.d.	N/A	No
從三氧化鉻與其它寡聚體生成的酸類: 鉻酸 / Acids generated from chromium trioxide and their oligomers: Chromic acid	n.d.	N/A	No
從三氧化鉻與其它寡聚體生成的酸類: 重铬酸 / Acids generated	n.d.	N/A	No
from chromium trioxide and their oligomers: Dichromic acid 從三氧化鉻與其它寡聚體生成的酸類: 络酸與重络酸的寡聚體 / Acids generated from chromium trioxide and their oligomers: Oligomers of chromic acid and dichromic acid	n.d.	N/A	No
络酸鳃 / Strontium chromate	n.d.	N/A	No
茵油 / Anthracene oil	n.d.	N/A	No
蔥油, 蔥糊, 輕油 / Anthracene oil, anthracene paste, distn. Lights	n.d.	N/A	No
荵頭nts 葱油,葱糊,葱餾分 / Anthracene oil, anthracene paste, anthracene fraction	n.d.	N/A	No
	n.d.	N/A	No
蒽油, 蒽糊 / Anthracene oil, anthracene paste	n.d.	N/A	No
 煤瀝青,高溫 / Pitch, coal tar, high-temp.	n.d.	N/A	No
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate)	n.d.	N/A	No
2,4-二硝基甲苯 / 2,4-Dinitrotoluene	n.d.	N/A	No
磷酸三 (2-氯乙基)酯 / Tris(2-chloroethyl) phosphate (TCEP)	n.d.	N/A	No
鉻酸鉛 / Lead chromate	n.d.	N/A	No
鉬鉻紅;顏色索引: 顏料紅104 / Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	n.d.	N/A	No
各酸鉛;顏色索引: 顏料黄34 / Lead sulfochromate yellow (C.I. Pigment Yellow 34)	n.d.	N/A	No
丙烯醯胺 / Acrylamide	n.d.	N/A	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-en-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

測試報告(SVHC) 號碼(No.): CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 17 of 19 **Test Report**

榮樺企業有限公司

SG

RONG HUA INDUSTRIAL CO., LTD

桃園縣新屋鄉下田村下田心子1鄰23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

物質名稱 (Substance name)	成品濃度 (Concentration) (%)	重量 (weight) (mg)	安全資訊的提供, 根據 Article 33 (providing information about safe use according to Article 33 is necessary)
硼酸 / Boric acid	n.d.	N/A	No
無水四硼酸二鈉 / Disodium tetraborate, anhydrous	n.d.	N/A	No
水合硼酸鈉 / Tetraboron disodium heptaoxide, hydrate	n.d.	N/A	No
三氯乙烯 / Trichloroethylene	n.d.	N/A	No
硫酸鈷(二價) / Cobalt(II) sulphate	n.d.	N/A	No
硝酸鈷(二價) / Cobalt(II) dinitrate	n.d.	N/A	No
碳酸鈷(二價) / Cobalt(II) carbonate	n.d.	N/A	No
醋酸鈷(二價) / Cobalt(II) diacetate	n.d.	N/A	No
乙二醇甲醚 / 2-Methoxyethanol	n.d.	N/A	No
乙二醇乙醚 / 2-Ethoxyethanol	n.d.	N/A	No
乙二醇乙醚乙酸酯 / 2-ethoxyethyl acetate	n.d.	N/A	No
鄰苯二甲酸二 (C7-11支鏈與直鏈)烷基酯 / 1,2-Benzenedicarboxylic	n.d.	N/A	No
acid, di-C7–11–branched and linear alkyl esters			
聯氨 / Hydrazine	n.d.	N/A	No
N-甲基吡咯烷酮 / 1-methyl-2-pyrrolidone	n.d.	N/A	No
1,2,3-三氯丙烷 / 1,2,3-trichloropropane	n.d.	N/A	No
鄰苯二甲酸二 (C6-8支鏈與直鏈)烷基酯,富C7 / 1,2-	n.d.	N/A	No
Benzenedicarboxylic acid, di-C6-8-branched alkyl esters,			
C7-rich (DIHP)			
砷酸 / Arsenic acid	n.d.	N/A	No
砷酸鈣 / Calcium arsenate	n.d.	N/A	No
砷酸鉛 / Trilead diarsenate	n.d.	N/A	No
疊氮化鉛 / Lead diazide, Lead azide	n.d.	N/A	No
中性斯蒂酚酸鉛 / Lead styphnate	n.d.	N/A	No
苦味酸鉛 / Lead dipicrate	n.d.	N/A	No
鉻酸鉻 / Dichromium tris (chromate)	n.d.	N/A	No
氫氧化鉻酸鋅鉀 / Potassium hydroxyoctaoxodizincatedi-	n.d.	N/A	No
chromate			
八氫氧化五鉻酸鋅 / Pentazinc chromate octahydroxide	n.d.	N/A	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-en-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

33, Wu Chuan Rd., New Taipei Industrial Park, New Taipei City, Taiwan / 新北市新北產業園區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.tw

測試報告(SVHC) 號碼(No.): CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 18 of 19 **Test Report**

榮樺企業有限公司 RONG HUA INDUSTRIAL CO., LTD

SG

桃園縣新屋鄉下田村下田心子1鄰23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

物質名稱 (Substance name)	成品濃度 (Concentration) (%)	重量 (weight) (mg)	安全資訊的提供, 根據 Article 33 (providing information about safe use according to Article 33 is necessary)
甲醛與苯胺的寡聚體 / Formaldehyde, oligomeric reaction	n.d.	N/A	No
products with aniline (technical MDA) 物致一田蛇一田気甘乙酯 (D: (2) (1) (1) (1) (1)	1	NT / A	N
鄰苯二甲酸二甲氧基乙酯 / Bis(2-methoxyethyl) phthalate	n.d.	N/A	No
鄰甲氧基苯胺 / 2-Methoxyaniline; o-Anisidine	n.d.	N/A	No
對特辛基苯酚 / 辛基酚 / 4-(1,1,3,3-tetramethylbutyl)	n.d.	N/A	No
phenol, (4-tert-Octylphenol)	. 1	NT / A	NT.
1,2-二氯乙烷 / $1,2$ -Dichloroethane	n.d. n.d.	N/A N/A	No
双(2-甲氧基乙基)醚 / Bis(2-methoxyethyl) ether N,N-二甲基乙醯胺 / N,N-dimethylacetamide (DMAC)		N/A N/A	
4,4'-亞甲雙(2-氯苯胺)/ 2,2'-dichloro- 4,4'-	n.d. n.d.	N/A N/A	No No
methylenedianiline (MOCA)	n.u.	N/A	110
酚酞 / Phenolphthalein	n.d.	N/A	No
砂酸鋁,耐火陶瓷纖維(主要成分濃度於可變範圍內)/	n.d.	N/A	No
Aluminosilicate, Refractory Ceramic Fibres (oxides of	n v a v	1., 11	1.0
aluminium and silicon are the main components present (in			
the fibres) within variable concentration ranges			
鋯矽酸鋁,耐火陶瓷纖維(主要成分濃度於可變範圍内)/	n.d.	N/A	No
Zirconia Aluminosilicate, Refractory Ceramic Fibres			
[oxides of aluminium, silicon and zirconium are the main			
components present (in the fibres) within variable			
concentration ranges]			
三甘醇二甲醚 / 1,2-bis (2-methoxyethoxy) ethane (TEGDME;	n.d.	N/A	No
triglyme)			
乙二醇二甲醚 / 1,2-dimethoxyethane; ethylene glycol	n.d.	N/A	No
dimethyl ether (EGDME)			
甲醯胺 / Formamide	n.d.	N/A	No
甲基磺酸鉛 / Lead(II) bis(methanesulfonate)	n.d.	N/A	No
異氰尿酸三縮水甘油酯 / TGIC (1,3,5-tris(oxiranylmethyl)- 1,3,5-triazine-2,4,6 (1H,3H,5H)-trione)	n.d.	N/A	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-en-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

33, Wu Chuan Rd., New Taipei Industrial Park, New Taipei City, Taiwan / 新北市新北產業園區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.tw

測試報告(SVHC) 號碼(No.): CC/2012/60183 日期(Date): 2012/07/05 頁數(Page): 19 of 19 **Test Report**

榮樺企業有限公司 RONG HUA INDUSTRIAL CO., LTD

SG

桃園縣新屋鄉下田村下田心子1鄰23-7號

23-7, 1 NIGHBOR, SIATIANSINZIH, SIATIAN VILLAGE, SINWU TOWNSHIP, TAOYUAN COUNTY 327, TAIWAN (R. O. C.)

物質名稱 (Substance name)	成品濃度 (Concentration) (%)	重量 (weight) (mg)	安全資訊的提供, 根據 Article 33 (providing information about safe use according to Article 33 is necessary)
異氰尿酸B-三縮水甘油酯 / B-TGIC (1,3,5-tris [(2S and 2R)- 2,3-epoxypropyl]- 1,3,5-triazine-2,4,6- (1H,3H,5H)-trione)	n.d.	N/A	No
4,4'-二(N,N-二甲氨基)二苯甲酮(米氏酮)/ 4,4'- bis(dimethylamino) benzophenone (Michler's ketone)	n.d.	N/A	No
4,4'-(对二甲氨基)二苯基甲烷 (米氏鹼) / N,N,N',N'- tetramethyl- 4,4'-methylenedianiline (Michler's base)	n.d.	N/A	No
鹼性紫 3 / [4-[4,4'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3)	n.d.	N/A	No
鹼性藍 26 / [4-[[4-anilino-1-naphthyl] [4-(dimethylamino) phenyl] methylene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)	n.d.	N/A	No
溶劑藍 4 / α,α-Bis[4-(dimethylamino) phenyl]-4 (phenylamino) naphthalene-1-methanol (C.I. Solvent Blue 4)	n.d.	N/A	No
三氧化二硼 / Diboron trioxide	n.d.	N/A	No
α, α-二[(二甲氨基)苯基]-4-甲氨基苯甲醇 / 4,4'-bis (dimethylamino)-4''-(methylamino) trityl alcohol	n.d.	N/A	No

備註(Note):

(A) N/A = 不適用 (Non-Available)

** 報告結尾(End of Report) **